

**LAUNDRY &  
CLEANING  
CUPBOARDS**

FEATURES

- » Durable Welded Metal Construction
- » Electrostatic Powder Coating
- » Wall Mounting Holes on Rear Top
- » Stamped Label Holder on Doors
- » Air Slots on Back for Air Circulation
- » Master Door
- » 2.000 Differs Round Head Camlock with 2 Keys
- » Key Duplicate Support
- » Masterkey Support
- » Packaging: Nylon Bag + Corrugated Carton


OPTIONAL

- » 200 mm Sloping Roof [Fixing by Bolt]
- » 100 mm Base [Fixing by Bolt]
- » 100 mm Feet [Welded or Fixing by Bolt on Request]
- » 100 mm Framed Feet [Fixing by Bolt]
- » Wheel Combination Lock

STANDARD COLORS FOR THIS RANGE



» Non-standard colors are available with price difference (extra charge)  
 » Production codes are referring items completely in color Grey 7035



Monoblock



Powder Coated



Aeration



Key Lock



Cleaning



Warranty






1 COLUMN								
view								
catalogue code	LRC.3(1.3).40	LRC.4(1.4).40	LRC.5(1.5).40	LRC.6(1.6).40	LRC.7(1.7).40	LRC.8(1.8).40	LRC.9(1.9).40	LRC.10(1.10).40
production code	152M0801-00001	152M0801-00002	152M0801-00003	152M0801-00004	152M0801-00005	152M0801-00006	152M0801-00007	152M0801-00008
no of door	3	4	5	6	7	8	9	10
height (mm)	1800	1800	1800	1800	1800	1800	1800	1800
width (mm)	400	400	400	400	400	400	400	400
depth (mm)	500	500	500	500	500	500	500	500

2 COLUMNS								
view								
catalogue code	LRC.6(2.3).40	LRC.8(2.4).40	LRC.10(2.5).40	LRC.12(2.6).40	LRC.14(2.7).40	LRC.16(2.8).40	LRC.18(2.9).40	LRC.20(2.10).40
production code	152M0801-00009	152M0801-00010	152M0801-00011	152M0801-00012	152M0801-00013	152M0801-00014	152M0801-00015	152M0801-00016
no of door	6	8	10	12	14	16	18	20
height (mm)	1800	1800	1800	1800	1800	1800	1800	1800
width (mm)	738	738	738	738	738	738	738	738
depth (mm)	500	500	500	500	500	500	500	500



WITH COAT RAIL

view			
catalogue code	LRC.2(1.2).40	LRC.4(2.2).40	LRC.6(3.2).18066
production code	152M0801-00017	152M0801-00018	152M0801-00019
no of door	2	4	6
height (mm)	1800	1800	1800
width (mm)	400	738	660
depth (mm)	500	500	500

ACCESSORIES / ROOF




catalogue code	production code	height	width	depth
LRR.400	152M9910-00001	200	400	500
LRR.660	152M9910-00002	200	660	500
LRR.738	152M9910-00003	200	738	500


## FEATURES

- » Durable Welded Metal Construction
- » Electrostatic Powder Coating
- » Wall Mounting Hole on Rear Top
- » Reinforced Doors with Semi-Concealed Hinges and Anti-Noise Plastic Buffers
- » Hinged Small Lid on Top with Magnet for Garment Input
- » Telescopic Frame with Bag Hook
- » Slots on Door for Air Circulation
- » 2.000 Differs Round Head Camlock with 2 Keys
- » Key Duplicate Support
- » Masterkey Support
- » Packaging: Nylon Bag + Corrugated Carton

## STANDARD COLORS FOR THIS RANGE



- » Non-standard colors are available with price difference (extra charge)
- » Production codes are referring items completely in color Grey 7035




## OPTIONAL

- » 200 mm Sloping Roof [Fixing by Bolt]
- » 100 mm Base [Fixing by Bolt]
- » 100 mm Feet [Welded or Fixing by Bolt on Request]
- » 100 mm Framed Feet [Fixing by Bolt]



Monoblock



Powder Coated



Aeration



Key Lock



Cleaning



Warranty



view		
catalogue code	GRC/1.1840	GRC/1.1860
production code	152M0801-00020	152M0801-00021
no of door	1	1
no of shelf	1	1
height (mm)	1800	1800
width (mm)	415	600
depth (mm)	500	500


ACCESSORIES / ROOF				
catalogue code	production code	height	width	depth
WRR.40	152M9909-00046	200	415	500
WRR.60	152M9909-00012	200	600	500

\* Bag is not supplied

## FEATURES

- » Durable Tube Construction
- » Electrostatic Powder Coating
- » Stationary or Mobile Models
- » Easy Assembly
- » Packaging: Flatpack in Corrugated Carton


### STANDARD COLORS FOR THIS RANGE



- » Non-standard colors are available with price difference (extra charge)
- » Production codes are referring items completely in color Grey 7035



Flatpack



Powder Coated



Castor / Wheel



Cleaning



Warranty



view				
catalogue code	GAR.160	GAR/W.160	GAR.180	GAR/W.180
production code	152M0801-00022	152M0801-00023	152M0801-00024	152M0801-00025
moving	stationary	mobile	stationary	mobile
height (mm)	1670	1750	1670	1750
width (mm)	1600	1600	1800	1800
depth (mm)	500	500	500	500


FEATURES

- » Durable Welded Metal Construction
- » Electrostatic Powder Coating
- » Wall Mounting Holes on Rear Top
- » Full or Half Divider Models
- » Adjustable Shelves on Left
- » Top Shelf with Coat Rail and Hook on Right
- » Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- » Stamped Label Holder on Door
- » Louvered Doors for Air Circulation
- » 2.000 Differs Round Head Camlock with 2 Keys
- » Key Duplicate Support
- » Masterkey Support
- » Packaging: Nylon Bag + Corrugated Carton


OPTIONAL

- » 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- » 200 mm Sloping Roof [Fixing by Bolt]
- » 100 mm Base [Fixing by Bolt]
- » 100 mm Feet [Welded or Fixing by Bolt on Request]


STANDARD COLORS FOR THIS RANGE



» Non-standard colors are available with price difference (extra charge)  
 » Production codes are referring items completely in color Grey 7035



Monoblock



Powder Coated



Aeration



Key Lock



Cleaning



Warranty



view				
catalogue code	CLC/FD.1860	CLC/FD.1880	CLC/HD.1860	CLC/HD.1880
production code	152M0802-00001	152M0802-00002	152M0802-00003	152M0802-00004
no of door	2 swing	2 swing	2 swing	2 swing
divider	full divider	full divider	half divider	half divider
coat rail	right under shelf	right under shelf	right under top	right under top
shelves	4 left	4 left	4 left	4 left
height (mm)	1800	1800	1800	1800
width (mm)	600	800	600	800
depth (mm)	500	500	500	500

view				
catalogue code	CLC/2D10C.1860	CLC/2D10C.1880	CLC/FS4S.1860	CLC/FS4S.1880
production code	152M0802-00005	152M0802-00006	152M0802-00007	152M0802-00008
no of door	2 swing	2 swing	2 swing	2 swing
divider	full divider	full divider	n/a	n/a
coat rail	n/a	n/a	n/a	n/a
shelves	4 right + 4 left	4 right + 4 left	4 full size	4 full size
height (mm)	1800	1800	1800	1800
width (mm)	600	800	600	800
depth (mm)	500	500	500	500